

LIFTING BELT-吊装带

WEBBING SLING-扁平带

Material: Polyester or polyamide

Standard: EN1492-1 and AS1353 are available.



Code	WLL (kg)	Length (m)	Width (mm)			
			5:1	6:1	7:1	8:1
SFW1-01	1000	1-100	25	25	30	50
SFW1-02	2000	1-100	50	50	60	60
SFW1-03	3000	1-100	75	75	90	90
SFW1-04	4000	1-100	100	100	120	120
SFW1-05	5000	2-100	125	125	150	150
SFW1-06	6000	2-100	150	150	180	180
SFW1-08	8000	2-100	200	200	240	240
SFW1-10	10000	3-100	250	250	300	300
SFW1-12	12000	3-100	300	300	300	-
SFW2-16	16000	3-100	200	200	240	240
SFW2-20	20000	3-100	250	250	300	300
SFW2-24	24000	3-100	300	300	300	-
SFW2-30	30000	3-100	300	300	300	-

Deseen International
Textile sling-Ratchet Tie Down-Winches

LIFTING BELT-吊装带

ROUND SLING-圆环带

Material:Polyester, polyamide or ultra-high molecular weight polyethylene

Standard:EN1492-2 and AS4497 are available.



Code	WLL (kg)	Length (m)	Wide (mm)
SFR-01	1000	0.5-80	40
SFR-02	2000	0.5-80	50
SFR-03	3000	0.5-80	60
SFR-04	4000	0.5-80	70
SFR-05	5000	0.5-80	75
SFR-06	6000	1-80	80
SFR-08	8000	1-80	90
SFR-10	10000	2-80	100
SFR-12	12000	2-80	110
SFR-15	15000	2-80	125
SFR-20	20000	2.5-80	150
SFR-25	25000	2.5-80	180
SFR-30	30000	2.5-80	200
SFR-40	40000	2.5-80	200
SFR-50	50000	2.5-80	220
SFR-60	60000	4-80	240
SFR-80	80000	4-80	260
SFR-100	100000	4-80	290
SFR-200	200000	5-80	450
SFR-300	300000	5-80	530
SFR-400	400000	5-80	670
SFR-500	500000	8-80	750
SFR-600	600000	8-80	820
SFR-700	700000	8-80	870
SFR-800	800000	9-80	930
SFR-900	900000	9-80	990
SFR-1000	1000000	9-80	1050

Deseen International

Textile sling-Ratchet Tie Down-Winches

Chart of WLL in application


	Leg Max. Working Load Limit Kg					2 Legs Max. Working Load Limit Kg						3, 4 Legs Max. Working Load Limit Kg	
	1.0	0.8	2.0	7° < β < 45°	45° < β < 60°	7° < β < 45°	45° < β < 60°	7° < β < 45°	7° < β < 45°	45° < β < 60°	45° < β < 60°	7° < β < 45°	45° < β < 60°
Mode modulus	1.0	0.8	2.0	1.4	1.0	0.7	0.5	1.4	1.12	1.0	0.8	2.1	1.5
1000kg	1000	800	2000	1400	1000	700	500	1400	1120	1000	800	2100	1500
2000kg	2000	1600	4000	2800	2000	1400	1000	2800	2240	2000	1600	4200	3000
3000kg	3000	2400	6000	4200	3000	2100	1500	4200	3360	3000	2400	6300	4500
4000kg	4000	3200	8000	5600	4000	2800	2000	5600	4480	4000	3200	8400	6000
5000kg	5000	4000	10000	7000	5000	3500	2500	7000	5600	5000	4000	10500	7500
6000kg	6000	4800	12000	8400	6000	4200	3000	8400	6720	6000	4800	12600	9000
8000kg	8000	6400	16000	11200	8000	5600	4000	11200	8960	8000	6400	16800	12000
10000kg	10000	8000	20000	14000	10000	7000	5000	14000	11200	10000	8000	21000	15000
12000kg	12000	9600	24000	16800	12000	8400	6000	16800	13440	12000	9600	25200	18000
15000kg	15000	12000	30000	21000	15000	10500	7500	21000	16800	15000	12000	31500	22500
20000kg	20000	16000	40000	28000	20000	14000	10000	28000	22400	20000	16000	42000	30000
25000kg	25000	20000	50000	35000	25000	17500	12500	35000	28000	25000	20000	52500	37500
30000kg	30000	24000	60000	42000	30000	21000	15000	42000	33600	30000	24000	63000	45000
40000kg	40000	32000	80000	56000	40000	28000	20000	56000	44800	40000	32000	84000	60000
50000kg	50000	40000	100000	70000	50000	35000	25000	70000	56000	50000	40000	105000	75000
60000kg	60000	48000	120000	84000	60000	42000	30000	84000	67200	60000	48000	126000	90000
80000kg	80000	64000	160000	112000	80000	56000	40000	112000	89600	80000	64000	168000	120000
100000kg	100000	80000	200000	140000	100000	70000	50000	140000	112000	100000	80000	210000	150000
200000kg	200000	160000	400000	280000	200000	140000	100000	280000	224000	200000	160000	420000	300000
300000kg	300000	240000	600000	420000	300000	210000	150000	420000	336000	300000	240000	630000	450000
400000kg	400000	320000	800000	560000	400000	280000	200000	560000	448000	400000	320000	840000	600000
500000kg	500000	400000	1000000	700000	500000	350000	250000	700000	560000	500000	400000	1050000	750000
600000kg	600000	480000	1200000	840000	600000	420000	300000	840000	672000	600000	480000	1260000	900000
700000kg	700000	560000	1400000	980000	700000	490000	350000	980000	784000	700000	560000	1470000	1050000
800000kg	800000	640000	1600000	1120000	800000	560000	400000	1120000	896000	800000	640000	1680000	1200000
900000kg	900000	720000	1800000	1260000	900000	630000	450000	1260000	1008000	900000	720000	1890000	1350000
1000000kg	1000000	800000	2000000	1400000	1000000	700000	500000	1400000	1120000	1000000	800000	2100000	1500000

note: Min-modulus of symmetry loading setting balance of the lifting belt or lifting fitting-vertical direction is 6
The WLL of lifting belt is affected by the lifting style and lifting angle.

RATCHET STRAP-捆绑带

Material: Polyester or polyamide

Standard: EN12195-2 and AS 4380 are available.



Code	Breaking load (kg)	Length(m)	Wide (mm)
SFL-008	800	6-20	25
SFL-015	1500	6-20	25
SFL-02	2000	6-20	35/50
SFL-03	3000	6-20	35/50
SFL-04	4000	6-20	50
SFL-05	5000	6-20	50
SFL-08	8000	6-20	75
SFL-10	10000	6-20	100

Deseen International

Textile sling-Ratchet Tie Down-Winches

绞车系列/Winches — 01

	<p>型号:3M-049-39 破断强度: 15000磅/6810千克力 重量: 16.8磅/7.62千克 每箱重: 1680磅/762千克 每箱数量: 100件</p> <p>Model:3M-049-39 Break Strength: 15000lbs/6810kg Weight: 16.8lbs/7.62Kg Weight per case: 1680lbs/762kg Quantity per case: 100pcs</p>	
---	--	---

绞车系列/Winches — 02

	<p>型号:7210 破断强度: 11000磅/4990千克力 重量: 3.354磅/1.521千克 每箱重: 67.08磅/30.42千克 每箱数量: 20件</p> <p>Model:7210 Break Strength: 11000lbs/4990kg Weight: 3.354lbs/1.521Kg Weight per case: 67.08lbs/30.42kg Quantity per case: 20pcs</p>	
--	--	--

绞车系列/Winches — 03

	<p>型号:7211 破断强度: 11000磅/4990千克力 重量: 3.354磅/1.521千克 每箱重: 67.08磅/30.42千克 每箱数量: 20件</p> <p>Model:7211 Break Strength: 11000lbs/4990kg Weight: 3.354lbs/1.521kg Weight per case: 67.08lbs/30.42kg Quantity per case: 20pcs</p>	
---	--	---

绞车系列/Winches — 04

	<p>型号:7527 破断强度: 16500磅/7485千克力 重量: 11.25磅/5.1千克 每箱重: 2249磅/1020千克 每箱数量: 200件</p> <p>Model:7527 Break Strength: 16500lbs/7485kg Weight: 11.25lbs/5.1kg Weight per case: 2249lbs/1020kg Quantity per case: 200pcs</p>	
---	--	---

Deseen International


Textile sling-Ratchet Tie Down-Winches

绞车系列/Winches — 05




型号:7540
 破断强度: 10005磅/4540千克
 重量: 8.634磅/3.92千克
 每箱重: 43.17磅/19.58千克
 每箱数量: 5件

Model:7540
 Break Strength: 10005lbs/4540kg
 Weight: 8.634lbs/3.92kg
 Weight per case: 43.17lbs/19.58kg
 Quantity per case: 5pcs




绞车系列/Winches — 06




型号:7545-LH
 破断强度: 10005磅/4540千克
 重量: 15.21磅/6.9千克
 每箱重: 60.84磅/27.6千克
 每箱数量: 4件

Model:7545-LH
 Break Strength: 10005lbs/4540kg
 Weight: 15.21lbs/6.9kg
 Weight per case: 60.84lbs/27.6kg
 Quantity per case: 4pcs




绞车系列/Winches — 07



型号:7545-RH
 破断强度: 10005磅/4540千克
 重量: 15.21磅/6.9千克
 每箱重: 60.84磅/27.6千克
 每箱数量: 4件

Model:7545-RH
 Break Strength: 10005lbs/4540kg
 Weight: 15.21lbs/6.9kg
 Weight per case: 60.84lbs/27.6kg
 Quantity per case: 4pcs




绞车系列/Winches — 08



型号:7573
 破断强度: 18000磅/8160千克
 重量: 7.87磅/3.57千克
 每箱重: 39.35磅/17.85千克
 每箱数量: 5件

Model:7573
 Break Strength: 18000lbs/8160kg
 Weight: 7.87lbs/3.57kg
 Weight per case: 39.35lbs/17.85kg
 Quantity per case: 5pcs



Deseen International

Textile sling-Ratchet Tie Down-Winches

绞车系列/Winches — 09

	<p>型号:7576 破断强度: 16500磅/7485千克力 重量: 10.43磅/4.73千克 每箱重: 52.15磅/23.66千克 每箱数量: 5件</p> <p>Model:7576 Break Strength: 16500lbs/7485kg Weight: 10.43lbs/4.73kg Weight per case: 52.15lbs/23.66kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 10

	<p>型号:7590 破断强度: 18000磅/8160千克力 重量: 10.88磅/4.928千克 每箱重: 54.34磅/24.64千克 每箱数量: 5件</p> <p>Model:7590 Break Strength: 18000lbs/8160kg Weight: 10.88lbs/4.928kg Weight per case: 54.34lbs/24.64kg Quantity per case: 5pcs</p>	
--	--	--

绞车系列/Winches — 11

	<p>型号:7590C 破断强度: 16500磅/7485千克力 重量: 11.322磅/5.226千克 每箱重: 57.61磅/26.13千克 每箱数量: 5件</p> <p>Model:7590C Break Strength: 16500lbs/7485kg Weight: 11.322lbs/5.226kg Weight per case: 57.61lbs/26.13kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 12

	<p>型号:7590S 破断强度: 18000磅/8160千克力 重量: 11.424磅/5.18千克 每箱重: 57.12磅/25.9千克 每箱数量: 5件</p> <p>Model:7590S Break Strength: 18000lbs/8160kg Weight: 11.424lbs/5.18kg Weight per case: 57.12lbs/25.9kg Quantity per case: 5pcs</p>	
---	--	---

Deseen International

Textile sling-Ratchet Tie Down-Winches

绞车系列/Winches — 13

	<p>型号:8425 破断强度: 18000磅/8160千克力 重量: 7.94磅/3.6千克 每箱重: 39.68磅/18千克 每箱数量: 5件</p> <p>Model:8425 Break Strength: 18000lbs/8160kg Weight: 7.94lbs/3.6kg Weight per case: 39.68lbs/18kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 14

	<p>型号:8425C 破断强度: 16500磅/7485千克力 重量: 9.702磅/4.4千克 每箱重: 48.5磅/22千克 每箱数量: 5件</p> <p>Model:8425C Break Strength: 16500lbs/7485kg Weight: 9.702lbs/4.4kg Weight per case: 48.5lbs/22kg Quantity per case: 5pcs</p>	
--	--	--

绞车系列/Winches — 15

	<p>型号:8425-SD 破断强度: 5000磅/2270千克力 重量: 5.513磅/2.5千克 每箱重: 27.57磅/12.5千克 每箱数量: 5件</p> <p>Model:8425-SD Break Strength: 5000lbs/2270kg Weight: 5.513lbs/2.5kg Weight per case: 27.57lbs/12.5kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 16

	<p>型号:8427 破断强度: 18000磅/8160千克力 重量: 7.108磅/3.22千克 每箱重: 35.5磅/16.1千克 每箱数量: 5件</p> <p>Model:8427 Break Strength: 18000lbs/8160kg Weight: 7.108lbs/3.22kg Weight per case: 35.5lbs/16.1kg Quantity per case: 5pcs</p>	
---	--	---

Deseen International
Textile sling-Ratchet Tie Down-Winches

绞车系列/Winches — 17

	<p>型号:8430 破断强度: 18000磅/8160千克力 重量: 8.379磅/3.8千克 每箱重: 41.9磅/18千克 每箱数量: 5件</p> <p>Model:8430 Break Strength: 18000lbs/8160kg Weight: 8.379lbs/3.8kg Weight per case: 41.9lbs/18kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 18

	<p>型号:8430-DC 破断强度: 18000磅/8160千克力 重量: 8.379磅/3.8千克 每箱重: 41.9磅/18千克 每箱数量: 5件</p> <p>Model:8430-DC Break Strength: 18000lbs/8160kg Weight: 8.379lbs/3.8kg Weight per case: 41.9lbs/18kg Quantity per case: 5pcs</p>	
--	--	--

绞车系列/Winches — 19

	<p>型号:8430-F 破断强度: 18000磅/8160千克力 重量: 11.25磅/5.1千克 每箱重: 56.23磅/25.5千克 每箱数量: 5件</p> <p>Model:8430-F Break Strength: 18000lbs/8160kg Weight: 11.25lbs/5.1kg Weight per case: 56.23lbs/25.5kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 20

	<p>型号:8430S-BJ 破断强度: 18000磅/8160千克力 重量: 11.466磅/5.2千克 每箱重: 57.33磅/26千克 每箱数量: 5件</p> <p>Model:8430S-BJ Break Strength: 18000lbs/8160kg Weight: 11.466lbs/5.2kg Weight per case: 57.33lbs/26kg Quantity per case: 5pcs</p>	
---	--	---

Deseen International

Textile sling-Ratchet Tie Down-Winches

绞车系列/Winches — 21

	<p>型号:8430-U 破断强度: 18000磅/8160千克力 重量: 13.01磅/5.9千克 每箱重: 65.05磅/29.5千克 每箱数量: 5件</p> <p>Model:8430-U Break Strength: 18000lbs/8160kg Weight: 13.01lbs/5.9kg Weight per case: 65.05lbs/29.5kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 22

	<p>型号:9525-2S 破断强度: 18000磅/8160千克力 重量: 8.89磅/4.03千克 每箱重: 44.43磅/20.15千克 每箱数量: 5件</p> <p>Model:9525-2S Break Strength: 18000lbs/8160kg Weight: 8.89lbs/4.03kg Weight per case: 44.43lbs/20.15kg Quantity per case: 5pcs</p>	
--	--	--

绞车系列/Winches — 23

	<p>型号:9525C-2S 破断强度: 16500磅/7480千克力 重量: 10.65磅/4.83千克 每箱重: 53.25磅/24.15千克 每箱数量: 5件</p> <p>Model:9525C-2S Break Strength: 16500lbs/7480kg Weight: 10.65lbs/4.83kg Weight per case: 53.25lbs/24.15kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 24

	<p>型号:9530 破断强度: 18000磅/8160千克力 重量: 9.2磅/4.14千克 每箱重: 45.97磅/20.85千克 每箱数量: 5件</p> <p>Model:9530 Break Strength: 18000lbs/8160kg Weight: 9.2lbs/4.17kg Weight per case: 45.97lbs/20.85kg Quantity per case: 5pcs</p>	
---	--	---

Deseen International Textile sling-Ratchet Tie Down-Winches

绞车系列/Winches — 25

	<p>型号:9530-2S 破断强度: 18000磅/8160千克力 重量: 8.89磅/4.03千克 每箱重: 44.43磅/20.15千克 每箱数量: 5件 Model:9530-2S Break Strength: 18000lbs/8160kg Weight: 8.89lbs/4.03kg Weight per case: 44.43lbs/20.15kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 26

	<p>型号:3004001 破断强度: 18000磅/8160千克力 重量: 3.855磅/8.5千克 每箱重: 11.565磅/25.5千克 每箱数量: 3件 Model:3004001 Break Strength: 18000lbs/8160kg Weight: 3.855lbs/8.5kg Weight per case: 11.565lbs/25.5kg Quantity per case: 3pcs</p>	
---	--	---

绞车系列/Winches — 27

	<p>型号:3004002 破断强度: 18000磅/8160千克力 重量: 3.855磅/8.5千克 每箱重: 11.565磅/25.5千克 每箱数量: 3件 Model:3004002 Break Strength: 18000lbs/8160kg Weight: 3.855lbs/8.5kg Weight per case: 11.565lbs/25.5kg Quantity per case: 3pcs</p>	
---	--	---

绞车系列/Winches — 28

	<p>型号:10223710 破断强度: 18000磅/8160千克力 重量: 8.6磅/3.9千克 每箱重: 43磅/19.5千克 每箱数量: 3件 Model:10223710 Break Strength: 18000lbs/8160kg Weight: 8.6lbs/3.9kg Weight per case: 43lbs/19.5kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 29

	<p>型号:ZL7535-TR 破断强度: 16500磅/7485千克力 重量: 12.348磅/5.6千克 每箱重: 50.3磅/22.8千克 每箱数量: 5件 Model:ZL7535-TR Break Strength: 16500lbs/7485kg Weight: 12.348lbs/5.6kg Weight per case: 61.74lbs/28kg Quantity per case: 5pcs</p>	
---	---	---

Deseen International

Textile sling-Ratchet Tie Down-Winches

绞车系列/Winches — 30

	<p>型号:ZL7590-TR 破断强度: 18000磅/8160千克力 重量: 9.37磅/4.25千克 每箱重: 46.86磅/21.25千克 每箱数量: 5件</p> <p>Model:ZL7590-TR Break Strength: 18000lbs/8160kg Weight: 9.37lbs/4.25kg Weight per case: 46.86lbs/21.25kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 31

	<p>型号:ZL8425 破断强度: 18000磅/8160千克力 重量: 8.05磅/3.65千克 每箱重: 40.25磅/18.25千克 每箱数量: 5件</p> <p>Model:ZL8425 Break Strength: 18000lbs/8160kg Weight: 8.05lbs/3.65kg Weight per case: 40.25lbs/18.25kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 32

	<p>型号:ANG-1 破断强度: 11025磅/5000千克力 重量: 11.25磅/5.1千克 每箱重: 56.23磅/25.5千克 每箱数量: 5件</p> <p>Model:ANG-1 Break Strength: 11025lbs/5000kg Weight: 11.25lbs/5.1kg Weight per case: 56.23lbs/25.5kg Quantity per case: 5pcs</p>	
---	--	---

绞车系列/Winches — 33

	<p>型号:JLAS01 破断强度: 11025磅/5000千克力 重量: 12.57磅/5.7千克 每箱重: 50.3磅/22.8千克 每箱数量: 4件</p> <p>Model:JLAS01 Break Strength: 11025lbs/5000kg Weight: 12.57lbs/5.7kg Weight per case: 50.3lbs/22.8kg Quantity per case: 4pcs</p>	
---	--	---

绞车系列/Winches — 34

	<p>型号:JLAS02 破断强度: 13230磅/6000千克力 重量: 12.57磅/5.7千克 每箱重: 50.3磅/22.8千克 每箱数量: 4件</p> <p>Model:JLAS02 Break Strength: 13230lbs/6000kg Weight: 12.57lbs/5.7kg Weight per case: 50.3lbs/22.8kg Quantity per case: 4pcs</p>	
---	--	---